www.anrecson.com.cn

# LC-ME2401-BNC
# (24" HDMI/VGA/BNC Plastic Case Monitor)






## Product Feature

- Industrial level DID LCD panel, suitable for extensive 7×24 continuous works.
- Physical resolution of 1920×1080.
- 5ms fast response time, no image ghosting.
- Adapt newest 3D digital filtering and 3D digital noise reduction technology.
- Picture fast response; 178° wide viewing angle; Ensure that the image display is not deformed.
- High fidelity digital processing, brilliant and vivid video.
- Built-in speaker.
- Humanize Menu; Convenient Controller.

## DNIe digital image processing

Dynamic optimization



Natural color




Contrast enhancement



Detail enhancement



## Wide Viewing Angles(Up to 178° )



170° (H)/170° (V)

## DISPLAY CHARACTERISTICS

| | |
|---|---|
| Mode Name | LC-ME2401-BNC |
| Screen Size | 24'' |
| Active Display Area (mm) | 521.28mm(W)×293.22mm(H) |
| Display Mode | 16:10 |
| LED Type | TFT-LED |
| Resolution | 1920 × 1080 |
| Display Color | 16.7M |
| Pixel Pitch(mm) | 0.2715(H)×0.2715(V) |
| Brightness(nits) | 300cd/㎡ |
| Contrast Ratio | 1000:1 |
| Viewing Angle | 178(H) /178(V) |
| Response Time | 5ms |
| Backlight | LED |

## INPUT&OUTPUT

| | |
|---|---|
| HDMI 2.0 | 1 |
| VGA | 1 |
| BNC input | 2 |
| BNC output | 1 |
| Speaker | 2x3W(Stereo) |

## VIDEO

| | |
|---|---|
| Color System | PAL/NTSC/SECAM |
| OSD Control | Auto adjust, Brightness, Contrast, Hori. / Vert. Position, Clock, phase, Color, Language.. |
| 3D comb filter | YES |
| Video Noise Reduction | YES |

## POWER&Mount Way


| | |
|---|---|
| Power | DC12V ,50/60Hz |
| Working Temperature | -30 to +85 ℃ |
| Power Consumption | ≦25W |
| Menu | Chinese/English(other languages supported) |
| Mounting/Weight | Stand mount, VESA mount/4kg |
| MTBF | 50000Hours |

## ACCESSORIES

| | |
|---|---|
| INCLUDED ACCESSORIES | Industrial PSU,Screw, Cable holder, Quick start guide |




Unit:mm




All trademarks and registered trademarks acknowledged. E & O E. Specification subject to change without notice.
All LCD's comply with ISO-9241-307:2008 in connection with pixel defects.

© ANRECSON CORPORATION (  ). ALL RIGHTS RESERVED.